I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mait, in an envelope addressed to: MS Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: August 7, 2006

Signature: Two Way for

Docket No.: SIW-024RCE

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Masahiro Inoue et al.

Application No.: 10/000460

Confirmation Number: 2302

Filed: November 30, 2001

Art Unit: 1732

For: METHOD FOR FABRICATING A SEAL-

INTEGRATED SEPARATOR

Examiner: A. Y. Ortiz

TRANSMITTAL OF DRAWING CORRECTION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

RECE!"

Att: John Fitzhugh Office of Patents Publication

Publishing Division

AUG 1 0 REC'D

Publishing Division.

Dear Sir:

Submitted herewith is one set (ten sheets, twenty figures) of corrected drawings for filing in the above-identified patent application.

The Draftsperson objected to the drawings under 37 CFR 1.84 or 1.152 for reasons stated in the Notice Regarding Drawings dated July 25, 2006. A copy of the Notice is enclosed. The enclosed new drawings correct these informalities.

Replacement of the enclosed drawings for the drawings currently on file is respectfully requested.

Dated: August 7, 2006

Respectfully submitted,

Anthony A. Laurentano Registration Nov. 38,220

LAHIVE & COCKFIELD, LLP

28 State Street


Boston, Massachusetts 02109

(617) 227-7400


(617) 742-4214 (Fax)

Attorney/Agent For Applicant

App No.: 10/000460 Docket No.: SIW-024KGE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 1 of 10



App No.: 10/000460 Docket No.: SIVV-UZ4RGE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 2 of 10



App No.: 10/000460 Docket No.: SIW-UZ4RGE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 3 of 10

FIG. 3





FIG. 4



App No.: 10/000460 Docket No.: SIVV-UZ4RGE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 4 of 10

FIG. 5





FIG. 6



App No.: 10/000460 Docket No.: SIW-024RCE Inventor: Masahiro INOUE et al. Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 5 of 10 REPLACEMENT SHEET

FIG. 7





FIG. 8



App No.: 10/000460 Docket No.: SIW-024RCE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR

Sheet 6 of 10

FIG. 9





FIG. 10



App No.: 10/000460 Docket No.: SIW-024RCE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR

Sheet 7 of 10

FIG. 11





FIG. 12



App No.: 10/000460 Docket No.: SIVV-UZ4RGE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 8 of 10

FIG. 13





FIG. 14



App No.: 10/000460 Docket No.: SIW-U24KCE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 9 of 10 REPLACEMENT SHEET

FIG. 15





FIG. 16



App No.: 10/000460 Docket No.: SIW-U24RGE Inventor: Masahiro INOUE et al.
Title: METHOD FOR FABRICATING A SEAL-INTEGRATED SEPARATOR Sheet 10 of 10

FIG. 17 (Prior Art)




FIG. 18 (Prior Art)




FIG. 19 (Prior Art)





FIG. 20 (Prior Art)







UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER 10/000460

FILING/RECEIPT DATE 11/30/2001

FIRST NAMES APPLICANT INOUE, MASAJIROU

ATTORNEY DOCKET NUMBER

SIW-024 RCE

LAHIVE & COCKFIELD 28 STATE STREET BOSTON MA 02109

Examiner

COLAIANNI MICHAEL
Art Unit
1722

<u>1732</u>

DOCKETED August 25,2000 , No. Reminion Sept 25,2000 Covvect bres.

Date Mailed: 7/25/06

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on <u>11/30/2001</u> are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

John Fitzhugh

Office Of Patents Publication

Publishing Division 703-305-0333 ext-137

JUL 3 1 2006

RETPIEVED 8 14

FOR PARISED

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date)	are:
Aapproved by the Draftsperson under 37 CFR 1.84	
Bobjected to by the Draftsperson under 37 CFR 1.8	4 or 1.152 for the reasons indicated below. Corrected
drawings are required.	
	· · · · · · · · · · · · · · · · · · ·
1. DRAWINGS. 37 CFR 1.84(a): Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
categories of drawings: Black ink or	Words do not appear on a horizontal, left-to-right
Color (3 sets required).	fashion when page is either upright or turned so
Color drawings are not acceptable until petition is	that the top becomes the right side, except for
granted. Fig(s)	graphs. Fig(s)
Pencil and non black ink not permitted. Fig(s)	9. SCALE. 37 CFR 1.84(k)
2. PHOTOGRAPHS. 37 CFR 1.84(b)	Scale not large enough to show mechanism
One (1) full-tone set is required. Fig(s)	without crowding when drawing is reduced in
Photographs may not be mounted. 37 CFR 1.84(e)	size to two-thirds in reproduction.
Photographs must meet paper size requirements of	Fig(s)
37 CFR 1.84(f). Fig(s)	10. CHARACTER OF LINES, NUMBERS, &
Poor quality (half-tone). Fig(s)	LETTERS. 37 CFR 1.84(1)
3. TYPE OF PAPER. 37 CFR 1.84(e)	Lines, numbers & letters not uniformly thick and
Paper not flexible, strong, white, and durable.	well defined, clean, durable, and blagger or line
Fig(s)	quality). Fig(s)
Erasures, alterations, overwritings. interlineations,	11. SHADING. 37 CFR-1.84(m)
folds, copy machine marks not accepted.	Solid black areas pale. Fig(s)
Fig(s)	Solid black shading not permitted. Fig(s)
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable	12. NUMBERS, LETTERS, & REFERENCE
sizes:	CHARACTERS. 37 CFR 1.84(p)
21.0 cm by 29.7 cm (DIN size A4) or	Numbers and reference characters not plain and
21.6 cm by 27.9 cm (8 1/2x 11 inches)	legible. Fig(s)
All drawing sheets not the same size.	Figure legends are poor. Fig(s)
Sheet(s)	Numbers and reference characters not oriented in
Drawings sheets not an acceptable size. Fig(s)	the same direction as the view. 37 CFR 1.84(p)(1)
5. MARGINS. 37 CFR 1.84(g): Acceptable margins:	Fig(s)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)	English alphabet not used. 37 CFR 1.84(p)(2)
Top (T) Left (L)	Fig(s)Numbers, letters and reference characters must be
Right (R) Bottom (B)	at least 32 cm (1/8 inch) in height. 37 CFR
6. VIEWS. 37 CFR 1.84(h)	1.84(p)(3). Fig(s)
REMINDER: Specification may require revision to	13. LEAD LINES. 37 CFR 1.84(q)
correspond to drawing changes, e.g., if Fig. 1 is	Lead lines missing. Fig(s)
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the	14. NUMBERING OF SHEETS OF DRAWINGS.
specification, at the Brief Description of the Drawings,	37 CFR 1.84(t)
must likewise be changed.	Sheets not numbered consecutively, and in Arabic
Views not labeled separately or properly.	numbers beginning with number 1. Sheet(s)
Fig(s)	15. NUMBERING OF VIEWS. 37 CFR 1.84(u)
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)	Views not numbered consecutively, and in Arabic
Sectional designation should be noted with	numerals, beginning with number 1. Fig(s)
Arabic or Roman numbers. Fig(s)	16. DESIGN DRAWINGS. 37 CFR 1.152
radio of Roman numbers. 1 15(3)	Surface shading shown not appropriate.
•	Fig(s)
	Solid black surface shading is not permitted except
	when used to represent the color black as well as
	color contrast. Fig(s)
COMMENTS:	
	2-16 *
	2 (- '
W	76 /1/
Reviewer	Date
f you have questions, call (703) 305-8404.	Attachment to Paper No.
i jou mure questions, can gros) 303-0404.	Attachment to Faper 190.